1-16. (Canceled)

17. (Currently amended) A method for permanently occluding a vein through the combined

disruption of a vein vessel wall and application of sclerosant, comprising the following steps:

advancing an elongated intraluminal member through the vein to a treatment site in the vein;

moving the intraluminal member against the vein's endothelium lining at the treatment site

to disrupt the liningendothelium and ensure it is damaged and rendered susceptible to sclerosant;

and

injecting sclerosant into the vein at the treatment site and onto the damaged susceptible

endothelium, thereby causing it irreversible damage to the disrupted lining at the treatment site and

consequently stimulating fibrosis of the vein at the treatment site, thereby permanently occluding the

vein.

18. (Currently amended) The method according to claim 17, wherein the step of moving

comprises scraping the intraluminal member against the endotheliumvein's lining.

19. (Previously presented) The method according to claim 17, wherein the intraluminal member

comprises a hollow infusion wire, and the sclerosant is injected into the vein through the hollow

infusion wire.

Amendment dated October 15, 2009

Reply to Office Action of July 20, 2009

20. (Original) The method according to claim 17, wherein the elongated intraluminal member is

a balloon catheter.

21. (Canceled)

22. (Canceled)

23. (Previously presented) The method of claim 17, further comprising withdrawing the

intraluminal member through the vein while scraping and injecting sclerosant.

24. (Previously presented) The method of claim 17, wherein the intraluminal member is

advanced through a sheath, and the sclerosant is injected into the vein through an annular space

between the intraluminal member and the sheath.

25. (Previously presented) The method of claim 17, wherein the vein has a size at the treatment

site of 2-10mm.

26. (Currently amended) The method of claim 17, wherein scraping comprises rotating the

intraluminal member in the vein under the control of a motor so that a portion of the intraluminal

member engages the endotheliumlining.

Amendment dated October 15, 2009

Reply to Office Action of July 20, 2009

27. (Currently amended) The method of claim 26, wherein the portion of the intraluminal

member that engages the lining endothelium is sharpened.

28. (Previously presented) The method of claim 17, wherein the intraluminal member curves at a

distal end.

29. (Previously presented) The method of claim 17, wherein the intraluminal member is

simultaneously rotated and moved longitudinally.

30. (Currently amended) The method of claim 17, wherein the sclerosant is injected during

movingscraping.

31. (Previously presented) The method of claim 30, wherein the intraluminal member is rotated

and moved longitudinally during scraping.

32. (Currently amended) The method of claim 30, wherein the endothelium of the vein's lining

is disrupted without perforating the vein.

33. (Previously presented) The method of claim 17, wherein moving the intraluminal member

comprises moving it longitudinally.

Amendment dated October 15, 2009

Reply to Office Action of July 20, 2009

34. (New) The method of claim 18, wherein the sclerosant is injected during scraping.

35. (New) A method for the treatment of venous stasis through vascular ablation, comprising

the following steps:

advancing an elongated intraluminal member through a vein;

activating the intraluminal member to disrupt or irritate the endothelial surface of a vein wall

of the vein and ensure the endothelial surface is damaged and rendered susceptible to a sclerosing

agent;

injecting sclerosant into the vein, and onto the damaged susceptible endothelial surface, in

conjunction with the activation of the intraluminal member;

wherein the combined steps of activating and injecting result in ablation of the vein.

36. (New) The method according to claim 35, wherein the step of activating includes moving the

intraluminal member against the endothelial surface to cause disruption or irritation of the vein.

37. (New) The method according to claim 35, wherein the intraluminal member comprises an

infusion wire.

38. (New) The method according to claim 35, wherein the elongated intraluminal member is a

balloon catheter.

Amendment dated October 15, 2009

Reply to Office Action of July 20, 2009

39. (New) The method according to claim 35, wherein the step of activating includes disrupting

or irritating the endothelial surface of the vein wall of the vein in a manner creating spasm of the

vein.

40. (New) The method according to claim 35, wherein the intraluminal member is protected by

a sheath, and the step of activating includes withdrawing the sheath to expose the intraluminal

member to the vessel and vessel wall.

41. (New) The method according to claim 40, wherein the step of withdrawing the sheath is

done before disrupting or irritating of the endothelial surface of a vein wall of the vein.

42. (New) The method according to claim 35, wherein the step of injecting sclerosant is

performed during activating the intraluminal member for disrupting or irritating the endothelial

surface of the vein wall.

43. (New) The method according to claim 35, wherein the step of injecting sclerosant is

performed before activating the intraluminal member for disrupting or irritating the endothelial

surface of the vein wall.

Application No. 10/736,535 Amendment dated October 15, 2009 Reply to Office Action of July 20, 2009

44. (New) The method according to claim 35, wherein the step of injecting sclerosant is performed after activating the intraluminal member for disrupting or irritating the endothelial surface of the vein wall.